



NANOISOLA
NANOTECHNOLOGY INSULATION

Nanolsola, A Grand Breaking Product.

" The Comfort of Modern Technology With a Simple Coat of Paint "

NANO FAN 
Industrial Group
www.nanofanco.com

Exclusive manufacturer of Nano Insulation Paint in the Middle East.

NANOISOLA Uses - Residential

- ✓ Commercial
- ✓ Residential
- ✓ Industrial
- ✓ Interior Walls
- ✓ Exterior Walls
- ✓ Ceilings
- ✓ Attics
- ✓ Basements
- ✓ Roofs
- ✓ Mobile Homes
- ✓ Sheds
- ✓ Metal Buildings



BRUSH



ROLLER



SPRAYER



NANOISOLA Residential - Application Method

- ✓ Surface must be clean and dry and free of grease, dirt solvents, etc.
- ✓ Three coats is the recommended minimum coverage for insulation purposes.
- ✓ Each coat should be applied 70 microns in thickness with 8 hours dry time between each coat.
- ✓ Coverage rate: approximately 15 sq if applied in 3 coats.
- ✓ Apply with: Brush, Roller, Sprayer.



BRUSH



ROLLER



SPRAYER

NANOISOLA Residential - Application Method



NANOISOLA Clear

Gallon

Coverage: 15 m²

5 Gallon pail

Coverage: 75 m²

Thickness: 0.2 mm with 3-coats



NANOISOLA Clear

Gallon

Coverage: 15 m²

5 Gallon pail

Coverage: 75 m²

Thickness: 0.2 mm with 3-coats

NANOISOLA Residential - Exterior Use



NANOISOLA Residential - Interior Use



More Information



No. 26, 170th St, south Parvin Blvd, Jashnvareh St, Tehranpars,

Tehran, Iran

info@nanofanco.com

www.nanoisola.com



www.facebook.com/Nanoisola