



NANOISOLA
NANOTECHNOLOGY INSULATION

Nanolsola, A Grand Breaking Product.

" The Comfort of Modern Technology With a Simple Coat of Paint "

NANO FAN 
Industrial Group
www.nanofanco.com

Exclusive manufacturer of Nano Insulation Paint in the Middle East.

NanoIsola Waterproofing Uses

Can be applied on:

- Foundation of building
- Sauna, Jacuzzi & Pool
- Walls, buildings & gable roof
- Roofs, bathrooms and building facades
- Applicable on any surface, even the ones that already exists




NanoIsola Waterproofing - Application Method

- ✓ Surface must be clean and dry and free of grease, dirt solvents, etc.
- ✓ Three coats is the recommended minimum coverage for waterproofing & Insulation purposes.
- ✓ Each coat should be applied 200 microns in thickness with 3 hours dry time between each coat.
- ✓ Coverage rate: approximately 40 m² if applied in 3 coats.
- ✓ Apply with: Brush, Roller, Sprayer.



BRUSH



ROLLER



SPRAYER

NanoIsola Waterproofing- Price



NANOISOLA Waterproofing

5 Gallon pail

Coverage: 40 m²

Thickness: 0.6 mm with 3-coats

NanoIsola Waterproofing



NanoIsola Waterproofing



More Information



No. 26, 170th St, south Parvin Blvd, Jashnvareh St, Tehranpars,

Tehran, Iran

info@nanofanco.com

www.nanoisola.com



www.facebook.com/Nanoisola