



The application of Intelligence to Industry based upon Integrity




Exclusive manufacturer of Nano Insulation Paint in the Middle East.

NANOISOLA Decorative

- ✓ drywall
- ✓ stucco
- ✓ brick
- ✓ Concrete
- ✓ wood
- ✓ Metal Buildings
- ✓ Public Units
- ✓ Homes
- ✓ Interior Walls
- ✓ Hospitals & Clinics
- ✓ Schools & Mosques
- ✓ Offices



BRUSH



ROLLER



SPRAYER



NANOISOLA Decorative- Application Method

- ✓ Surface must be clean and dry and free of grease, dirt solvents, etc.
- ✓ Three coats is the recommended minimum coverage for insulation purposes.
- ✓ Each coat should be applied 200 microns in thickness with 8 hours dry time between each coat.
- ✓ Coverage rate: approximately 20 sq if applied in 3 coats.
- ✓ Apply with: Brush, Roller, Sprayer.



BRUSH



ROLLER



SPRAYER

NANOISOLA Decorative



NANOISOLA Decorative

5 Gallon pail

Coverage: 30 m²

Thickness: 0.6 mm with 3-coats

NANOISOLA Decorative



More Information



Nanofan Industrial Coatings LLC

Unit A8, Plot No.3390, Sohar free zone,

Sohar, Sultanate of Oman

Phone: +968 2427 3739, GSM: +968 9099 6490

Email: oman@nanofanco.com www.nanofanco.com